



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0262
http://www.EMSL.com / cinnmicrolab@emsl.com

Order ID: 371918588
Customer ID: SPOT50
Customer PO:
Project ID:

Attn: Asbestos Division
Spotts Stevens and McCoy, Inc.
1047 North Park Road
Reading, PA 19610

Phone: (610) 621-2000
Fax:
Collected: 08/20/2019
Received: 08/21/2019
Analyzed: 08/23/2019

Proj: Arrowhead ES / POP02019.1025

Spore Trap ASSESSMENT Report™ Air-O-Cell™ Analysis of Fungal Spores & Particulates (Methods MICRO-SOP-201, ASTM D7391)

| | Particle Identification | Raw Count | (Count/m³) | % of Total | Interpretation Guideline |
|--------------------------|---------------------------|------------|--------------|------------|--------------------------|
| 371918588-0001 | Alternaria (Ulocladium) | - | - | - | |
| | Ascospores | 22 | 970 | 2.9 | Acceptable |
| Client Sample ID | Aspergillus/Penicillium | 17 | 750 | 2.2 | Acceptable |
| A8-20-1A | Basidiospores | 710 | 31400 | 93.8 | Acceptable |
| | Bipolaris++ | - | - | - | |
| | Chaetomium | - | - | - | |
| Location | Cladosporium | 6 | 300 | 0.9 | Acceptable |
| M132 | Curvularia | 1* | 10* | 0 | Acceptable |
| | Epicoccum | - | - | - | |
| Sample Volume (L) | Fusarium | - | - | - | |
| | Ganoderma | - | - | - | |
| 75 | Myxomycetes++ | - | - | - | |
| | Pithomyces++ | 2* | 30* | 0.1 | Acceptable |
| Sample Type | Rust | - | - | - | |
| Inside | Scopulariopsis/Microascus | - | - | - | |
| | Stachybotrys/Memnoniella | - | - | - | |
| Comments | Unidentifiable Spores | - | - | - | |
| | Zygomycetes | - | - | - | |
| | Cercospora++ | - | - | - | |
| | Polythrincium | - | - | - | |
| | Pyricularia | - | - | - | |
| | Torula-like | - | - | - | |
| | Zygothiala/Schizothyrium | - | - | - | |
| | Total Fungi | 758 | 33460 | 100 | Acceptable |
| | Hyphal Fragment | - | - | - | |
| | Insect Fragment | - | - | - | |
| | Pollen | - | - | - | |

Analytical Sensitivity 600x: **44** counts/cubic meter
Analytical Sensitivity 300x *: **13*** counts/cubic meter

Skin Fragments: **1** 1 to 4 (low to high)
Fibrous Particulate: **1** 1 to 4 (low to high)
Background: **1** 1 to 4 (low to high); **5** (overloaded)

- Acceptable** Concentration at or below background
- Slightly Elevated** Concentration above background
- ELEVATED** Concentration 10X or more above background

- Not commonly found growing indoors, spores likely come from outside.
- Spores reported to be able to cause allergies in individuals.
- Potential for mycotoxin production exists with these fungi.
- These fungi are considered water damage indicators.

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category

Initial report from: 08/23/2019 11:41:45

Vincent Iuzzolino, M.S., Laboratory Director
or Other Approved Signatory

High levels of background particulate can obscure spores and other particulates, leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0262
http://www.EMSL.com / cinnmicrolab@emsl.com

Order ID: 371918588
Customer ID: SPOT50
Customer PO:
Project ID:

Attn: Asbestos Division
Spotts Stevens and McCoy, Inc.
1047 North Park Road
Reading, PA 19610

Phone: (610) 621-2000
Fax:
Collected: 08/20/2019
Received: 08/21/2019
Analyzed: 08/23/2019

Proj: Arrowhead ES / POP02019.1025

Spore Trap ASSESSMENT Report™ Air-O-Cell™ Analysis of Fungal Spores & Particulates (Methods MICRO-SOP-201, ASTM D7391)

| | Particle Identification | Raw Count | (Count/m³) | % of Total | Interpretation Guideline |
|--------------------------|---------------------------|------------|--------------|------------|--------------------------|
| 371918588-0002 | Alternaria (Ulocladium) | - | - | - | |
| | Ascospores | 14 | 620 | 5.6 | Acceptable |
| Client Sample ID | Aspergillus/Penicillium | 10 | 440 | 4 | Acceptable |
| A8-20-2A | Basidiospores | 222 | 9810 | 89.2 | Acceptable |
| | Bipolaris++ | - | - | - | |
| | Chaetomium | - | - | - | |
| Location | Cladosporium | 2 | 90 | 0.8 | Acceptable |
| M133 | Curvularia | - | - | - | |
| | Epicoccum | - | - | - | |
| Sample Volume (L) | Fusarium | - | - | - | |
| | Ganoderma | - | - | - | |
| 75 | Myxomycetes++ | 1 | 40 | 0.4 | Acceptable |
| | Pithomyces++ | - | - | - | |
| Sample Type | Rust | - | - | - | |
| Inside | Scopulariopsis/Microascus | - | - | - | |
| | Stachybotrys/Memnoniella | - | - | - | |
| Comments | Unidentifiable Spores | - | - | - | |
| | Zygomycetes | - | - | - | |
| | Cercospora++ | - | - | - | |
| | Polythrincium | - | - | - | |
| | Pyricularia | - | - | - | |
| | Torula-like | - | - | - | |
| | Zygothiala/Schizothyrium | - | - | - | |
| | Total Fungi | 249 | 11000 | 100 | Acceptable |
| | Hyphal Fragment | - | - | - | |
| | Insect Fragment | - | - | - | |
| | Pollen | - | - | - | |

Analytical Sensitivity 600x: **44** counts/cubic meter
Analytical Sensitivity 300x *: **13*** counts/cubic meter

Skin Fragments: **2** 1 to 4 (low to high)
Fibrous Particulate: **1** 1 to 4 (low to high)
Background: **1** 1 to 4 (low to high); **5** (overloaded)

Acceptable Concentration at or below background
Slightly Elevated Concentration above background
ELEVATED Concentration 10X or more above background

Not commonly found growing indoors, spores likely come from outside.
 Spores reported to be able to cause allergies in individuals.
 Potential for mycotoxin production exists with these fungi.
 These fungi are considered water damage indicators.

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category

Initial report from: 08/23/2019 11:41:45

Vincent Iuzzolino, M.S., Laboratory Director
or Other Approved Signatory

High levels of background particulate can obscure spores and other particulates, leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0262
http://www.EMSL.com / cinnmicrolab@emsl.com

Order ID: 371918588
Customer ID: SPOT50
Customer PO:
Project ID:

Attn: Asbestos Division
Spotts Stevens and McCoy, Inc.
1047 North Park Road
Reading, PA 19610

Phone: (610) 621-2000
Fax:
Collected: 08/20/2019
Received: 08/21/2019
Analyzed: 08/23/2019

Proj: Arrowhead ES / POP02019.1025

Spore Trap ASSESSMENT Report™ Air-O-Cell™ Analysis of Fungal Spores & Particulates (Methods MICRO-SOP-201, ASTM D7391)

| | Particle Identification | Raw Count | (Count/m³) | % of Total | Interpretation Guideline |
|--------------------------|---------------------------|------------|--------------|------------|--------------------------|
| 371918588-0003 | Alternaria (Ulocladium) | - | - | - | |
| | Ascospores | 14 | 620 | 2.9 | Acceptable |
| Client Sample ID | Aspergillus/Penicillium | 14 | 620 | 2.9 | Acceptable |
| A8-20-3A | Basidiospores | 440 | 19400 | 91.3 | Acceptable |
| | Bipolaris++ | - | - | - | |
| | Chaetomium | - | - | - | |
| Location | Cladosporium | 13 | 570 | 2.7 | Acceptable |
| M134 | Curvularia | - | - | - | |
| | Epicoccum | - | - | - | |
| Sample Volume (L) | Fusarium | - | - | - | |
| | Ganoderma | - | - | - | |
| 75 | Myxomycetes++ | 1 | 40 | 0.2 | Acceptable |
| | Pithomyces++ | - | - | - | |
| Sample Type | Rust | - | - | - | |
| Inside | Scopulariopsis/Microascus | - | - | - | |
| | Stachybotrys/Memnoniella | - | - | - | |
| Comments | Unidentifiable Spores | - | - | - | |
| | Zygomycetes | - | - | - | |
| | Cercospora++ | - | - | - | |
| | Polythrincium | - | - | - | |
| | Pyricularia | - | - | - | |
| | Torula-like | - | - | - | |
| | Zygothiala/Schizothyrium | - | - | - | |
| | Total Fungi | 482 | 21250 | 100 | Acceptable |
| | Hyphal Fragment | - | - | - | |
| | Insect Fragment | - | - | - | |
| | Pollen | - | - | - | |

Analytical Sensitivity 600x: **44** counts/cubic meter
Analytical Sensitivity 300x *: **13*** counts/cubic meter

Skin Fragments: **2** 1 to 4 (low to high)
Fibrous Particulate: **1** 1 to 4 (low to high)
Background: **1** 1 to 4 (low to high); **5** (overloaded)

Acceptable Concentration at or below background
Slightly Elevated Concentration above background
ELEVATED Concentration 10X or more above background

Not commonly found growing indoors, spores likely come from outside.
 Spores reported to be able to cause allergies in individuals.
 Potential for mycotoxin production exists with these fungi.
 These fungi are considered water damage indicators.

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category

Vincent Iuzzolino, M.S., Laboratory Director
or Other Approved Signatory

Initial report from: 08/23/2019 11:41:45

High levels of background particulate can obscure spores and other particulates, leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0262
http://www.EMSL.com / cinnmicrolab@emsl.com

Order ID: 371918588
Customer ID: SPOT50
Customer PO:
Project ID:

Attn: Asbestos Division
Spotts Stevens and McCoy, Inc.
1047 North Park Road
Reading, PA 19610

Phone: (610) 621-2000
Fax:
Collected: 08/20/2019
Received: 08/21/2019
Analyzed: 08/23/2019

Proj: Arrowhead ES / POP02019.1025

Spore Trap ASSESSMENT Report™ Air-O-Cell™ Analysis of Fungal Spores & Particulates (Methods MICRO-SOP-201, ASTM D7391)

| | Particle Identification | Raw Count | (Count/m³) | % of Total | Interpretation Guideline |
|--------------------------|---------------------------|------------|--------------|------------|--------------------------|
| 371918588-0004 | Alternaria (Ulocladium) | - | - | - | |
| | Ascospores | 10 | 440 | 2.2 | Acceptable |
| Client Sample ID | Aspergillus/Penicillium | 8 | 400 | 2 | Acceptable |
| A8-20-4A | Basidiospores | 429 | 19000 | 94.9 | Acceptable |
| | Bipolaris++ | - | - | - | |
| | Chaetomium | - | - | - | |
| Location | Cladosporium | 3 | 100 | 0.5 | Acceptable |
| M135 | Curvularia | - | - | - | |
| | Epicoccum | - | - | - | |
| | Fusarium | - | - | - | |
| Sample Volume (L) | Ganoderma | 1 | 40 | 0.2 | Acceptable |
| 75 | Myxomycetes++ | 1 | 40 | 0.2 | Acceptable |
| | Pithomyces++ | - | - | - | |
| Sample Type | Rust | - | - | - | |
| Inside | Scopulariopsis/Microascus | - | - | - | |
| | Stachybotrys/Memnoniella | - | - | - | |
| Comments | Unidentifiable Spores | - | - | - | |
| | Zygomycetes | - | - | - | |
| | Cercospora++ | - | - | - | |
| | Polythrincium | - | - | - | |
| | Pyricularia | - | - | - | |
| | Torula-like | - | - | - | |
| | Zygothiala/Schizothyrium | - | - | - | |
| | Total Fungi | 452 | 20020 | 100 | Acceptable |
| | Hyphal Fragment | 1* | 10* | - | Slightly Elevated |
| | Insect Fragment | - | - | - | |
| | Pollen | - | - | - | |

Analytical Sensitivity 600x: **44** counts/cubic meter
Analytical Sensitivity 300x *: **13*** counts/cubic meter

Skin Fragments: **2** 1 to 4 (low to high)
Fibrous Particulate: **1** 1 to 4 (low to high)
Background: **1** 1 to 4 (low to high); **5** (overloaded)

Acceptable Concentration at or below background
Slightly Elevated Concentration above background
ELEVATED Concentration 10X or more above background

Not commonly found growing indoors, spores likely come from outside.
 Spores reported to be able to cause allergies in individuals.
 Potential for mycotoxin production exists with these fungi.
 These fungi are considered water damage indicators.

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category

Initial report from: 08/23/2019 11:41:45

Vincent Iuzzolino, M.S., Laboratory Director
or Other Approved Signatory

High levels of background particulate can obscure spores and other particulates, leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0262
http://www.EMSL.com / cinnmicrolab@emsl.com

Order ID: 371918588
Customer ID: SPOT50
Customer PO:
Project ID:

Attn: Asbestos Division
Spotts Stevens and McCoy, Inc.
1047 North Park Road
Reading, PA 19610

Phone: (610) 621-2000
Fax:
Collected: 08/20/2019
Received: 08/21/2019
Analyzed: 08/23/2019

Proj: Arrowhead ES / POP02019.1025

Spore Trap ASSESSMENT Report™ Air-O-Cell™ Analysis of Fungal Spores & Particulates (Methods MICRO-SOP-201, ASTM D7391)

| | Particle Identification | Raw Count | (Count/m³) | % of Total | Interpretation Guideline |
|--|---------------------------|-------------------------------|--------------|--------------------------------------|--------------------------|
| 371918588-0005 | Alternaria (Ulocladium) | 1* | 10* | 0 | |
| | Ascospores | 92 | 4100 | 4.5 | |
| Client Sample ID | Aspergillus/Penicillium | 26 | 1100 | 1.2 | |
| A8-20-5A | Basidiospores | 1880 | 83100 | 91.7 | |
| | Bipolaris++ | - | - | - | |
| | Chaetomium | - | - | - | |
| Location | Cladosporium | 30 | 1300 | 1.4 | |
| Exterior, by Modulars | Curvularia | 1 | 40 | 0 | |
| | Epicoccum | 1* | 10* | 0 | |
| Sample Volume (L) | Fusarium | - | - | - | |
| | Ganoderma | 13 | 570 | 0.6 | |
| 75 | Myxomycetes++ | 5 | 200 | 0.2 | |
| | Pithomyces++ | 1* | 10* | 0 | |
| Sample Type | Rust | - | - | - | |
| Background | Scopulariopsis/Microascus | - | - | - | |
| | Stachybotrys/Memnoniella | - | - | - | |
| Comments | Unidentifiable Spores | 2 | 90 | 0.1 | |
| | Zygomycetes | - | - | - | |
| | Cercospora++ | - | - | - | |
| | Polythrincium | - | - | - | |
| | Pyricularia | - | - | - | |
| | Torula-like | 1 | 40 | 0 | |
| | Zygothia/Schizothyrium | 1 | 40 | 0 | |
| | Total Fungi | 2054 | 90610 | 100 | |
| | Hyphal Fragment | - | - | - | |
| | Insect Fragment | - | - | - | |
| | Pollen | 3* | 40* | - | |
| Analytical Sensitivity 600x: 44 counts/cubic meter | | Skin Fragments: 1 | | 1 to 4 (low to high) | |
| Analytical Sensitivity 300x *: 13* counts/cubic meter | | Fibrous Particulate: 1 | | 1 to 4 (low to high) | |
| | | Background: 1 | | 1 to 4 (low to high): 5 (overloaded) | |

- Not commonly found growing indoors, spores likely come from outside.
- Spores reported to be able to cause allergies in individuals.
- Potential for mycotoxin production exists with these fungi.
- These fungi are considered water damage indicators.

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category

Vincent Iuzzolino, M.S., Laboratory Director
or Other Approved Signatory

Initial report from: 08/23/2019 11:41:45

High levels of background particulate can obscure spores and other particulates, leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0262
http://www.EMSL.com / cinnmicrolab@emsl.com

Order ID: 371918588
Customer ID: SPOT50
Customer PO:
Project ID:

Attn: Asbestos Division
Spotts Stevens and McCoy, Inc.
1047 North Park Road
Reading, PA 19610

Phone: (610) 621-2000
Fax:
Collected: 08/20/2019
Received: 08/21/2019
Analyzed: 08/23/2019

Proj: Arrowhead ES / POP02019.1025

Spore Trap ASSESSMENT Report™ Air-O-Cell™ Analysis of Fungal Spores & Particulates (Methods MICRO-SOP-201, ASTM D7391)

| | Particle Identification | Raw Count | (Count/m³) | % of Total | Interpretation Guideline |
|--|---------------------------|-------------------------------|---------------|--------------------------------------|--------------------------|
| 371918588-0006 | Alternaria (Ulocladium) | - | - | - | |
| | Ascospores | 85 | 3800 | 1.8 | |
| Client Sample ID | Aspergillus/Penicillium | 10 | 440 | 0.2 | |
| A8-20-6A | Basidiospores | 4620 | 204000 | 96.7 | |
| | Bipolaris++ | - | - | - | |
| | Chaetomium | - | - | - | |
| Location | Cladosporium | 40 | 1800 | 0.9 | |
| Exterior, Front Entrance | Curvularia | - | - | - | |
| | Epicoccum | - | - | - | |
| Sample Volume (L) | Fusarium | 1 | 40 | 0 | |
| | Ganoderma | 10 | 440 | 0.2 | |
| 75 | Myxomycetes++ | 6 | 300 | 0.1 | |
| | Pithomyces++ | 2* | 30* | 0 | |
| Sample Type | Rust | - | - | - | |
| Background | Scopulariopsis/Microascus | - | - | - | |
| | Stachybotrys/Memnoniella | - | - | - | |
| Comments | Unidentifiable Spores | - | - | - | |
| | Zygomycetes | - | - | - | |
| | Cercospora++ | 1 | 40 | 0 | |
| | Polythrincium | 1 | 40 | 0 | |
| | Pyricularia | 1 | 40 | 0 | |
| | Torula-like | 1* | 10* | 0 | |
| | Zygothia/Schizothyrium | - | - | - | |
| | Total Fungi | 4778 | 210980 | 100 | |
| | Hyphal Fragment | - | - | - | |
| | Insect Fragment | - | - | - | |
| | Pollen | 2 | 90 | - | |
| Analytical Sensitivity 600x: 44 counts/cubic meter | | Skin Fragments: 1 | | 1 to 4 (low to high) | |
| Analytical Sensitivity 300x *: 13* counts/cubic meter | | Fibrous Particulate: 1 | | 1 to 4 (low to high) | |
| | | Background: 1 | | 1 to 4 (low to high): 5 (overloaded) | |

- Not commonly found growing indoors, spores likely come from outside.
- Spores reported to be able to cause allergies in individuals.
- Potential for mycotoxin production exists with these fungi.
- These fungi are considered water damage indicators.

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category

Vincent Iuzzolino, M.S., Laboratory Director
or Other Approved Signatory

Initial report from: 08/23/2019 11:41:45

High levels of background particulate can obscure spores and other particulates, leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. "*** Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com